



Certificate Of Fire Approval

This is to certify that the product detailed below will be accepted for compliance with the applicable Lloyd's Register Rules and Regulations and with the International Convention for the Safety of Life at Sea, (SOLAS), 1974, as amended, for use on ships and offshore installations classed with Lloyd's Register, and for use on ships and offshore installations when authorised by contracting governments to issue the relevant certificates, licences, permits etc.

Manufacturer	BIP Industries Co., Ltd.
Address	1817, Jungang-Daero, Geumjeong-gu, Busan, Republic of Korea
Type	B-0 Ceiling
Description	Fire Resisting B-0 Class Continuous Ceiling Panel System
Trade Name	BIP C-613
Specified Standard	IMO Res. MSC.307(88) – (2010 FTP Code) Annex 1 Part 3

This certificate is not valid for equipment, the design or manufacture of which has been varied or modified from the specimen tested. The manufacturer should notify Lloyd's Register Asia of any modification or changes to the equipment in order to obtain a valid Certificate.

The Design Appraisal Document and its supplementary Type Approval Terms and Conditions form part of this Certificate.

This certificate remains valid unless cancelled or revoked, provided the conditions in the attached Design Appraisal Document are complied with and the equipment remains satisfactory in service.

71 Fenchurch Street, London, EC3M 4BS, United Kingdom

Kwang-Baek Kim

Fire & Safety - Senior Specialist to Lloyd's Register Asia
A member of the Lloyd's Register group

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.



ATTACHMENT TO CERTIFICATE OF TYPE APPROVAL No.LR23365366SF

The undernoted documents have been appraised for compliance with the relevant requirements of International Conventions, and this Design Appraisal Document forms part of the Certificate.

This Design Appraisal Document forms part of the Certificate.

This Certificate is a Renewal of Certificate Number SAS F180312-02.

APPROVAL DOCUMENTATION

TEST REPORTS

Fire Insurers Laboratories of Korea (FILK), 69-1 Simseok-Ri, Ganam-Myeon, Yeosu-Gun, Gyeonggi-Do, 469-881, Korea; Test Report No. AK2012-0618 dated 23rd November 2012.

CONDITIONS OF CERTIFICATION

1. Ceiling panel system 'BIP C-613' consisting of: panels of 0.6mm thick galvanised steel sheet panels formed into trays 25mm deep, filled on non-exposed upper side with one sheet of (25mm thick, 60 kg/m³ density) mineral wool insulation manufactured by KCC Corporation. Total thickness of ceiling: 25mm.
2. Adjacent panels connected together longitudinally with overlapping joints.
3. Adjacent panels connected at ends with T carrier welded to deck above.
4. Panels connected to bulkhead by seating on bottom steel profile welded to bulkhead and top steel profile screwed on top and secured with self tapping screws.
5. Maximum ceiling panel width: 300mm
6. Maximum ceiling panel length: 2360mm
7. Maximum distance between 'T' ceiling hangers: 900mm
8. Maximum distance between top of ceiling and bottom of overhead deck: 300mm
9. Composition, application and installation of sub components, including any adhesives, seals and any fire retardants, to be maintained in production and use in accordance with originally tested composition formula and method of application and installation, and manufacturer's instructions.
10. Production items are to be manufactured in accordance with a quality control system which shall be maintained to ensure that items are of the same standard as the approved prototype.



DESIGN APPRAISAL DOCUMENT

Page 3 of 3
Certificate No: LR23365366SF
Issue Date: 18/09/2023
Expiry Date: 17/09/2028
Reference: BTSO/F&S/TA/KBK/CHA2301989/PRJ11100416618

ATTACHMENT TO CERTIFICATE OF TYPE APPROVAL No.LR23365366SF

11. The certificate holder is solely responsible for the products supplied under this Certificate and to ensure that their products, whether manufactured by themselves or their licensee manufacturers, if agreed by Lloyd's Register, are fully compliant with the relevant statutory regulations and Lloyd's Register Class rules as applicable and designed, manufactured and installed to the same quality and specifications as the prototype tested, including components that are designed and manufactured by third parties.

PLACE OF PRODUCTION

BIP Industries Co Ltd
67, Baedungongdan-gil
Hoehwa-myeon, Goseong-gun
Gyeongsangnam-do
Republic of Korea

K B Kim

Kwang-Baek Kim
Senior Specialist, Fire & Safety to Lloyd's Register Asia
Busan Technical Support Office, Marine & Offshore
Lloyd's Register Group

Supplementary Type Approval Terms and Conditions

This certificate and Design Appraisal Document relates to type approval, it certifies that the prototype(s) of the product(s) referred to herein has/have been found to meet the applicable design criteria for the use specified herein, it does not mean or imply approval for any other use, nor approval of any products designed or manufactured otherwise than in strict conformity with the said prototype(s)

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.